




BEST 500



0	
Description	2-bowl sink with drainer
Model	BEST 500
Base (mm)	800
0	Inset
Dimensions (mm)	1160 x 510
Hole for built-in installation (mm)	1140 x 480
Number of Bowls	2
0	
Gross Weight (kg)	26,02
Net Weight (kg)	19,20
Packaging Dimension (kg)	1250 x 575 x 300
0 (kg)	0,216
0	
Packaging	Cardboard and polyethylene
0	Space-saving siphon, integrated Flow Pro, rectangular overflow and hooks.

Technical Drawing



LKB50086 K86
8031873020309




LKB50093 K93
8031873026660



LKB50095 K95
8031873026677



LKB50096 K96
8031873020316



LKB50097 K97
8031873026684



LKB50099 K99
8031873026691



METAL



LMB50073 M73
8032861953807



LMB50079 M79
8032861953814

MATT



LGB50040 G40
8032861043195



LGB50043 G43
8032861047223



LGB50048 G48
8032557030768



LGB50068 G68
8032861047827



LGB50078 G78
8032557066965

CLASSIC







LGB50051 G51
8032861047841



LGB50059 G59
8032861047483



LGB50062 G62
8032861047865



BEST 500

general tolerances where not expressly communicated $\pm 0.2\%$
connection dimensions according to UNI EN 695

