

90CM PRO LINE COOKER WITH 5 ZONE INDUCTION COOKTOP

LB109WMP




Get inspired, Get creative,
Get out of your comfort zone &
Get lost in the moment!

With a legacy of ultimate performance cookers, ILVE's PRO-Line series sets the standard for luxury in freestanding cookers. Boasting a stunning, new design, the PRO-Line series features a cooking surface that delivers even and instantaneous heat - allowing you to effortlessly simmer at low temperatures or sear at scorching hot levels.


Crafted in five distinct, sophisticated colours, the PRO-Line series is available in a 90cm width - making it an effortless addition to your luxurious kitchen.

As part of the new PRO-Line range, ILVE's freestanding ovens incorporate an impressive, new oven cavity. Its enlarged size, coupled with a rear oven wall featuring two air flow gills, ensures heat is distributed evenly and efficiently for perfect results every time. The increased internal illumination and grey enamel cavity elevate the overall look and feel of the oven, while the full-piece glass inner door and easy-to-remove internal accessories make cleaning an absolute breeze. Make your cooking experience truly exceptional with ILVE's PRO-Line series.

Standard Option - Cooker Colours



Standard Option - Cooker Trimmings



90CM PRO LINE COOKER WITH 5 ZONE INDUCTION COOKTOP

LB109WMP



MULTIFUNCTION OVEN CONTROL

Delayed start and stop with the programmable timer. 9 cooking functions.

COOL DOOR WITH REMOVABLE TRIPLE GLASS

Safe for children, perfectly insulated thanks to the three glass panes, easy to clean thanks to the new structure of the door.

A WIDE RANGE OF COLOURS

5 standard colours - Stainless Steel, Matt Graphite, Bright White, Antique White & Burgundy Red

TEMPERATURE SELECTION

From 50° to 250° to satisfy the needs of a vast selection of cooking modes.

HOB STRUCTURE IN AISI 304 STEEL WITH A THICKNESS OF 10/10

Stamped from a single steel sheet for an easy cleaning process and an increased safety, obtained by removing sharp edges and corners.

BODY STRUCTURE IN AISI 304 STEEL WITH A THICKNESS OF 07/10

Strong and durable. Designed for longevity..

QUICK START & DEFROST

Fast oven preheating function to quickly reach the desired temperature. With a temperature of 30/40° it also perfectly defrosts your frozen meats.

FOLLOW US:



Page 2/8
15032023

Australia National Telephone Number 1300 MYILVE (694 583) New Zealand Telephone Number 0508 458 369
ILVE showrooms are open daily from 9am-5pm and Saturdays 10am-4pm

ilve.com.au

NSW & ACT (Head Office)

48-50 Moore Street
Leichhardt
F 02 8569 4699

VIC & SA

2r/131 Church St,
Hawthorn

QLD

1/42 Cavendish Road
Coorparoo
F 07 3397 0850

WA & NT

Unit 10/55 Howe Street
Osborne Park
F 08 9201 9188

New Zealand

PO Box 11.160
Sockburn Christchurch
F 03 344 5906

DISCLAIMER
Eurolinx PTY LTD, trading as ILVE Appliances, is continually seeking ways to improve the design specifications, aesthetics and production techniques of its products. As a result alterations to our products and designs take place continually. Whilst every effort is made to produce information and literature that is up to date, this brochure should not be regarded as an infallible guide to the current specifications, nor does it constitute an offer for the sale of any particular product. Product dimensions indicated in our literature is indicative only. Actual product only should be used to define dimension cutouts. Distributors, and retailers are not agents of ILVE Appliances and are not authorized to bind ILVE Appliances by any express or implied undertaking or representation.

90CM PRO LINE COOKER WITH 5 ZONE INDUCTION COOKTOP

LB109WMP

PRO-LINE SERIES ELECTRIC OVEN

FEATURES

- ILVE's iconic robust design with commercial style door & new PRO-Line style knobs
- Integrated twin cavity cooling systems
- Grill elements for static and fan grill cooking
- Sealed oven: lower temperatures, less food spatter
- Five button programmable timer with minute minder
- A class energy rated
- S-Move soft close doors
- Body made from 07/10 thickness AISI 304 steel
- Hand built by ILVE's assembly technicians

SAFETY

- Triple glazed glass door: tinted to keep the heat inside the oven and resulting in a 'cool to touch' door exterior
- Safe touch athermic door handle and knobs

FUNCTIONS

- Select 9 multifunction cooking modes
- Temperature control: 50/250°C dial temperature control

CLEANING

- NEW **ULTRA-EZI** Clean interior
- NEW grey enamel interior
- Removable door with dismountable inner glass for easy cleaning
- Full Glass inner door for an easy cleaning
- Tilting grill element for an easier cleaning

CAPACITY & INTERIOR

- 97 litre oven NET use-able space, size (cm) 64.5w x 36.5h x 41d
- Oven cavity light on oven wall for increased visibility

ACCESSORIES

- 2 x oven racks
- 1 x Baking tray with grill insert
- Adjustable feet (removable)

PRO-LINE SERIES INDUCTION COOKTOP

FEATURES

- Hob made from 10/10 AISI 304 steel cooking surface
- Large cooking surface with spacious zone layout
- Precision control on each zone
- 40mm cooking surface facia edging
- Hand built by ILVE's assembly technicians
- Easy in-bench serviceability

SAFETY

- Equipped with the "Child safety" function

CLEANING

- Easy clean cooking surface
- Deep cooktop pressing designed to retain spillages

ZONES

- Durable vitroceramic toughened glass cooking surface
- One large cooking zone Ø265 & 2.3kW with a 3kW Boost mode
- Two medium cooking zones Ø215 & 2.3kW with a 3kW Boost mode
- Two small cooking zone Ø175 & 1.4kW with a 2kW Boost mode
- Knob control with digital display on the cooking surface
- Heat options 0-9
- Power boost option
- Power simmer option



DISCLAIMER

Eurolinx PTY LTD, trading as ILVE Appliances, is continually seeking ways to improve the design specifications, aesthetics and production techniques of its products. As a result alterations to our products and designs take place continually. Whilst every effort is made to produce information and literature that is up to date, this brochure should not be regarded as an infallible guide to the current specifications, nor does it constitute an offer for the sale of any particular product. Product dimensions indicated in our literature is indicative only. Actual product only should be used to define dimension cutouts. Distributors, and retailers are not agents of ILVE Appliances and are not authorised to bind ILVE Appliances by any express or implied undertaking or representation.

90CM PRO LINE COOKER WITH 5 ZONE INDUCTION COOKTOP LBI09WMP



Oven Functions



Pizza function



Defrost &
Quick Start



Intense
cooking



Closed door
grill cooking



Fan grill
cooking



Top cooking






Normal static
cooking



Bottom
cooking



Multiple fan
cooking



PRO-Line LBI09WMP
EAN code: 9341584101150 (LBI09WMP-SS)
Overall Size: 900x600x760 mm
Total Electrical Load (Kw) 15.2
Total Gas 'NG' Consumption (Mj/h) N/A

Maxi oven 800
Easy clean grey enamel, 800 electronic oven 50-250°C




Induction zone
Ø 175 mm
1,4 kW (Booster 2 kW)



Induction zone
Ø 215 mm
2,3 kW (Booster 3 kW)



Induction zone
Ø 265 mm
2,3 kW (Booster 3 kW)



For installation specifications, please consult with ILVE. For optimum installation, we recommend using the actual product as the best guide.

FOLLOW US:



/ilve_au



/ILVEappliances



/ILVE_appliances



/ILVEappliances

Page 4/8
15032023

Australia National Telephone Number 1300 MYILVE (694 583) New Zealand Telephone Number 0508 458 369
ILVE showrooms are open daily from 9am-5pm and Saturdays 10am-4pm

ilve.com.au

NSW & ACT (Head Office)

48-50 Moore Street
Leichhardt
F 02 8569 4699

VIC & SA

2r/131 Church St,
Hawthorn

QLD

1/42 Cavendish Road
Coorparoo
F 07 3397 0850

WA & NT

Unit 10/55 Howe Street
Osborne Park
F 08 9201 9188

New Zealand

PO Box 11.160
Sockburn Christchurch
F 03 344 5906


DISCLAIMER
Eurolinx PTY LTD, trading as ILVE Appliances, is continually seeking ways to improve the design specifications, aesthetics and production techniques of its products. As a result alterations to our products and designs take place continually. Whilst every effort is made to produce information and literature that is up to date, this brochure should not be regarded as an infallible guide to the current specifications, nor does it constitute an offer for the sale of any particular product. Product dimensions indicated in our literature is indicative only. Actual product only should be used to define dimension cutouts. Distributors, and retailers are not agents of ILVE Appliances and are not authorized to bind ILVE Appliances by any express or implied undertaking or representation.

90CM PRO LINE COOKER WITH 5 ZONE INDUCTION COOKTOP

LBI09WMP

INDUCTION HOB

Mod. PI064




Mod. PI09 - MI09 - PDI09

(Induction zone

Bridge = B+B

Ø 180+180 mm)




Mod. PDI10 - MDI10....

(Induction zone

Bridge = B+B

Ø 180+180 mm)




Mod. P127 - MI127....


(Induction zone

Bridge = M+M

210 x 380mm x2)



Mod. LBI09



Key

A - ø145 - Cooking area ø 145mm
(1400W / Booster 2200W)

B - ø180 - Cooking area ø 180mm
(1850W / Booster 3000W) *Bridge Section*

C - ø210 - Cooking area ø 210mm
(2300W / Booster 3700W)

E - ø175 - Cooking area ø 175mm
(1400W / Booster 2000W)

F - ø215 - Cooking area ø 215mm
(2300W / Booster 3000W)

G - ø265 - Cooking area ø 265mm
(2300W / Booster 3000W)

H - ø145 - Cooking area ø 145mm
(1400W / Booster 1850W)

I - ø200 - Cooking area ø 200mm
(2300W / Booster 3000W)

L - ø250 - Cooking area ø 250mm
(2300W / Booster 3000W)

M - 210 x 190 - Cooking area 210 x 190mm
(2100W / Booster 3000W)

M Bridge Section - 210 x 380 -
Cooking area 210 x 380mm (1500W+ 1500W)



For installation specifications, please consult with ILVE. For optimum installation, we recommend using the actual product as the best guide.

Page 5/8
21032023

FOLLOW US:



/ilve_au



/ILVEappliances



/ILVE_appliances



/ILVEappliances

Australia National Telephone Number 1300 MYILVE (694 583) New Zealand Telephone Number 0508 458 369
ILVE showrooms are open daily from 9am-5pm and Saturdays 10am-4pm

ilve.com.au

NSW & ACT (Head Office)

48-50 Moore Street
Leichhardt
F 02 8569 4699

VIC & SA

2r/131 Church St,
Hawthorn

QLD

1/42 Cavendish Road
Coorparoo
F 07 3397 0850

WA & NT

Unit 10/55 Howe Street
Osborne Park
F 08 9201 9188

New Zealand

PO Box 11.160
Socksburn Christchurch
F 03 344 5906

DISCLAIMER
Eurolinx PTY LTD, trading as ILVE Appliances, is continually seeking ways to improve the design specifications, aesthetics and production techniques of its products. As a result alterations to our products and designs take place continually. Whilst every effort is made to produce information and literature that is up to date, this brochure should not be regarded as an infallible guide to the current specifications, nor does it constitute an offer for the sale of any particular product. Product dimensions indicated in our literature is indicative only. Actual product only should be used to define dimension cutouts. Distributors, and retailers are not agents of ILVE Appliances and are not authorized to bind ILVE Appliances by any express or implied undertaking or representation.

90CM PRO LINE COOKER WITH 5 ZONE INDUCTION COOKTOP

LBI09WMP

Modelli	A ø145	B ø180	C ø210	D ø260	E ø175	F ø215	G ø265	E03E 	E03 	E04E 	M06E3 	M06MP 	M09E3 	M09MP 	kW (230V)	kW Quick Start
PI06 - MI06	1	2	1	-	-	-	-	-	-	-	1	-	-	-	9,85	10,60
PI09 - MI09	1	2	1	1	-	-	-	-	-	-	-	-	1	-	13,85	14,50
PBI09 - MBI09	-	-	-	-	2	2	1	-	-	-	-	-	1	-	13,85	14,50
LBI09...	-	-	-	-	2	2	1	-	-	-	-	-	-	1	13,85	14,50
PDI09 ...	1	2	1	1	-	-	-	1	-	-	1	-	-	-	15,85	16,60
PDBI09...	-	-	-	-	2	2	1	1	-	-	1	-	-	-	15,85	16,60
LDBI09...	-	-	-	-	2	2	1	-	1	-	-	1	-	-	15,15	15,90
PDI10...	2	2	2	-	-	-	-	-	-	1	1	-	-	-	16,10	16,85
MDI10 ...	2	2	2	-	-	-	-	1	-	-	1	-	-	-	15,85	16,60



For installation specifications, please consult with ILVE. For optimum installation, we recommend using the actual product as the best guide.

Page 6/8
21032023

FOLLOW US:



/ilve_au



/ILVEappliances



/ILVE_appliances



/ILVEappliances

Australia National Telephone Number 1300 MYILVE (694 583) New Zealand Telephone Number 0508 458 369
ILVE showrooms are open daily from 9am-5pm and Saturdays 10am-4pm

ilve.com.au

NSW & ACT (Head Office)

48-50 Moore Street
Leichhardt
F 02 8569 4699

VIC & SA

2r/131 Church St,
Hawthorn

QLD

1/42 Cavendish Road
Coorparoo
F 07 3397 0850

WA & NT

Unit 10/55 Howe Street
Osborne Park
F 08 9201 9188

New Zealand

PO Box 11.160
Sockburn Christchurch
F 03 344 5906

DISCLAIMER
Eurolinx PTY LTD, trading as ILVE Appliances, is continually seeking ways to improve the design specifications, aesthetics and production techniques of its products. As a result alterations to our products and designs take place continually. Whilst every effort is made to produce information and literature that is up to date, this brochure should not be regarded as an infallible guide to the current specifications, nor does it constitute an offer for the sale of any particular product. Product dimensions indicated in our literature is indicative only. Actual product only should be used to define dimension cutouts. Distributors, and retailers are not agents of ILVE Appliances and are not authorized to bind ILVE Appliances by any express or implied undertaking or representation.

90CM PRO LINE COOKER WITH 5 ZONE INDUCTION COOKTOP

LBI09WMP

ELECTRICAL CONNECTIONS - Cookers with induction top

**ATTENTION**

The appliance is supplied without a plug: The power supply cable should not reach above 50°C ambient
(*) calculated by applying the coincidence factor EN60335-2-6

Data concerning the power cable		POWER SUPPLY	CONNECTION	CABLE SECTION	CABLE TYPE
Mod. P..I06		230V a.c. 1P+N 50/60 Hz	1 phase + N	3 x 10*	H05RR
		400V a.c. 2P+N 50/60Hz	2 phase + N	4 x 4	H05RR
		400V a.c. 3P+N 50/60Hz	3 phase + N	5 x 1.5	H05RR
Mod. LBI09... M..I09..	P..I09..	230V a.c. 1P+N 50/60 Hz	1 phase + N	3 x 10*	H07RN
		400V a.c. 2P+N 50/60Hz	2 phase + N	4 x 4	H05RR
		400V a.c. 3P+N 50/60Hz	3 phase + N	5 x 4	H05RR
Mod. LDBI09... PDI09...		230V a.c. 1P+N 50/60 Hz	1 phase + N	3 x 10*	H07RN
		400V a.c. 2P+N 50/60 Hz	2 phase + N	4 x 6	H05RR
		400V a.c. 2P+N 50/60 Hz	3 phase + N	5 x 4	H05RR
Mod. MDI10..E3		230V a.c. 1P+N 50/60 Hz	1 phase + N	3 x 10*	H07RN
		400V a.c. 2P+N 50/60 Hz	2 phase + N	5 x 4	H05RR
		400V a.c. 2P+N 50/60 Hz	3 phase + N	3 x 10*	H07RN
Mod. PDI10..		230V a.c. 1P+N 50/60 Hz	1 phase + N	3 x 10*	H07RN
		400V a.c. 2P+N 50/60 Hz	2 phase + N	5 x 4	H05RR
		400V a.c. 2P+N 50/60 Hz	3 phase + N	3 x 10*	H07RN

***If unsure,
consult with
Eurolinx prior to
wiring
P 1300 694 583**

Page 7/8
21032023

FOLLOW US:

/ilve_au



/ILVEappliances



/ILVE_appliances



/ILVEappliances

Australia National Telephone Number 1300 MYILVE (694 583) New Zealand Telephone Number 0508 458 369
ILVE showrooms are open daily from 9am-5pm and Saturdays 10am-4pm

ilve.com.au

NSW & ACT (Head Office)

48-50 Moore Street
Leichhardt
F 02 8569 4699

VIC & SA

2r/131 Church St,
Hawthorn

QLD

1/42 Cavendish Road
Coorparoo
F 07 3397 0850

WA & NT

Unit 10/55 Howe Street
Osborne Park
F 08 9201 9188

New Zealand

PO Box 11.160
Sockburn Christchurch
F 03 344 5906


DISCLAIMER
Eurolinx PTY LTD, trading as ILVE Appliances, is continually seeking ways to improve the design specifications, aesthetics and production techniques of its products. As a result alterations to our products and designs take place continually. Whilst every effort is made to produce information and literature that is up to date, this brochure should not be regarded as an infallible guide to the current specifications, nor does it constitute an offer for the sale of any particular product. Product dimensions indicated in our literature is indicative only. Actual product only should be used to define dimension cutouts. Distributors, and retailers are not agents of ILVE Appliances and are not authorized to bind ILVE Appliances by any express or implied undertaking or representation.

90CM PRO LINE COOKER WITH 5 ZONE INDUCTION COOKTOP

LBI09WMP

WIRING DIAGRAM

ELECTRIC CONNECTION



For installation specifications, please consult with ILVE. For optimum installation, we recommend using the actual product as the best guide.

Page 8/8
21032023

FOLLOW US:



Australia National Telephone Number 1300 MYILVE (694 583) New Zealand Telephone Number 0508 458 369
ILVE showrooms are open daily from 9am-5pm and Saturdays 10am-4pm

ilve.com.au

NSW & ACT (Head Office)

48-50 Moore Street
Leichhardt
F 02 8569 4699

VIC & SA

2r/131 Church St,
Hawthorn

QLD

1/42 Cavendish Road
Coorparoo
F 07 3397 0850

WA & NT

Unit 10/55 Howe Street
Osborne Park
F 08 9201 9188

New Zealand

PO Box 11.160
Sockburn Christchurch
F 03 344 5906

DISCLAIMER
Eurolinx PTY LTD, trading as ILVE Appliances, is continually seeking ways to improve the design specifications, aesthetics and production techniques of its products. As a result alterations to our products and designs take place continually. Whilst every effort is made to produce information and literature that is up to date, this brochure should not be regarded as an infallible guide to the current specifications, nor does it constitute an offer for the sale of any particular product. Product dimensions indicated in our literature is indicative only. Actual product only should be used to define dimension cutouts. Distributors, and retailers are not agents of ILVE Appliances and are not authorized to bind ILVE Appliances by any express or implied undertaking or representation.